

NAME

splitindex – manual page for splitindex 0.2a

SYNOPSIS

splitindex.pl [*OPTION*] ... *INTERMEDIATE-INDEX-FILE* [*MAKEINDEX-OPTION*] ...

splitindex [*OPTION*] ... *INTERMEDIATE-INDEX-FILE* [*MAKEINDEX-OPTION*] ...

java splitindex [*OPTION*] ... *INTERMEDIATE-INDEX-FILE* [*MAKEINDEX-OPTION*] ...

tex splitindex

DESCRIPTION

splitindex 0.2a Copyright (c) 2002 Markus Kohm <kohm@gmx.de>

Split a single intermediate index file into multiple raw index files.

Example: splitindex.pl foo.idx.

OPTIONS

-h, --help

show this help and terminate

-m, --makeindex PROGNAME

call PROGNAME instead of default ‘makeindex’.

-i, --identify EXPRESSION

use regular EXPRESSION to match entries (see also option **--resultis** and **--suffixis**).
Default is ‘`^(\indexentry)\{([\^]*)\}(.*)$`’.

-r, --resultis PATTERN

create line to be written from PATTERN after matching lines (see also option **--identify**). Default is ‘`$1$3`’.

-s, --suffixis PATTERN

create suffix to be used from PATTERN after matching lines (see also option **--identify**). Default is ‘`-$2`’.

-v, --verbose

be more verbose (can be used multiple to increase verbosity)

--version

show version and terminate

COPYRIGHT

Copyright © 2002 Markus Kohm <kohm@gmx.de>

SEE ALSO

The full documentation for **splitindex** is maintained as a LaTeX manual. If the **texdoc** and **splitindex** programs are properly installed at your site, the command

texdoc splitidx

should give you access to the complete manual.